





## PROPERTIES & ADVANTAGES


The new generation of Kraftformer is characterized by a modern contemporary design. The electronic display of the control system visualizes operations, fault tracing and indicated maintenance rates which ensure an optimum machine utilization. Storable processing programs allow repeatable results.





- **MODERN OPERATING PANEL WITH „TOUCH-SCREEN“**
- **NEW AND MODERN DESIGN**
- **CHOICE OF 2 PRESELECTABLE STROKE SPEEDS**
- **ADJUSTABLE REVERSE POSITION**
- **4 STORABLE PROCESSING PROGRAMS**
- **REPEATABLE RESULTS REALIZED BY STORED PROCESSING PROGRAMS**
- **ELECTRONIC DISPLAY AND FAULT TRACING**
- **A WIDE VARIETY OF FORMING TOOLS ENSURES UNIVERSAL USE**



# TECHNICAL DATA



PARAMETERS	ECKOLD KF 470 MEDIUM
Throat horizontal	460 mm
Throat vertical	475 mm
Working stroke	8 mm
Working strokes per minute	300 / 600
Nominal capacity	3,5 kW
Formable sheet thickness:	
- Steel ( $R_m = 400 \text{ N/mm}^2$ )	max. 3.0 mm
- Aluminium ( $R_m = 250 \text{ N/mm}^2$ )	max. 4.0 mm
- Stainless steel ( $R_m = 600 \text{ N/mm}^2$ )	max. 2.0 mm
Ram adjustment	60 mm
Net weight Kraftformer	~ 1300 kg
Net weight control cabinet	~ 62 kg



DISTRIBUTEUR EXCLUSIF EN FRANCE, ALGERIE, MAROC ET TUNISIE POUR :



6 Allée des Carrières  
Z.A.E Des Portes de la Forêt  
F-77090 COLLEGIEN

Tél. : +33 (0) 1 64 30 92 47  
Fax : +33 (0) 1 64 30 81 92  
Email : info@eckotech.fr  
Site internet : www.eckotech.fr

SARL au capital de 100 000 €  
SIRET : 350 241 378 00016  
Code APE : 4662Z - N° EORI : FR35024137800016  
N° d'identification européenne : FR 67 350 241 378